

Women's Health Coding Guide



Womens' health not only encompasses maternity care, but also specific healthcare needs that require preventive screening to achieve optimal health outcomes. Use the codes in this guide to close gaps administratively for the following maternity measures:

- Prenatal Care
- Prenatal Immunization Status
- Prenatal Depression Screening and Follow-Up
- Postpartum Care
- Postpartum Depression Screening and Follow-Up

Additionally, you can find codes that will close gaps for these womens' health measures:

- Breast Cancer Screening
- Cervical Cancer Screening
- Chlamydia Screening
- Contraceptive Care for Postpartum Women Ages 15-44
- Contraceptive Care for All Women Ages 15-44.

| Pregnancy ICD-10CM Diagnosis Codes | | | | |
|------------------------------------|-------------------|-------------------|-------------------|---------------------|
| O09.00 - O09.03 | O14.02 - O14.03 | O24.414 - O24.415 | O29.191 - O29.193 | O30.811 - O30.813 |
| O09.10 - O09.13 | O14.10 | O24.419 | O29.199 | O30.819 |
| O09.211 - O09.213 | O14.12 - O14.13 | O24.811 - O24.813 | O29.211 - O29.213 | O30.821 - O30.823 |
| O09.219 | O14.20 | O24.819 | O29.219 | O30.829 |
| O09.291 - O09.293 | O14.22 - O14.23 | O24.911 - O24.913 | O29.291 - O29.293 | O30.891 - O30.893 |
| O09.299 | O14.90 | O24.919 | O29.299 | O30.899 |
| O09.30 - O09.33 | O14.92 - O14.93 | O25.10 - O25.13 | O29.3X1 - O29.3X3 | O30.90 - O30.93 |
| O09.40 - O09.43 | O15.00 | O26.00 - O26.03 | O29.3X9 | O31.00X0 - O31.00X5 |
| O09.511 - O09.513 | O15.02 - O15.03 | O26.10 - O26.13 | O29.40 - O29.43 | O31.00X9 |
| O09.519 | O15.1 | O26.20 - O26.23 | O29.5X1- O29.5X3 | O31.01X0 - O31.01X5 |
| O09.521 - O09.523 | O15.9 | O26.30 - O26.33 | O29.5X9 | O31.01X9 |
| O09.529 | O16.1 - O16.3 | O26.40 - O26.43 | O29.60 - O29.63 | O31.02X0 - O31.02X5 |
| O09.611 - O09.613 | O16.9 | O26.50 - O26.53 | O29.8X1 - O29.8X3 | O31.02X9 |
| O09.619 | O20.0 | O26.611 - O26.613 | O29.8X9 | O31.03X0 - O31.03X5 |
| O09.621 - O09.623 | O20.8 - O20.9 | O26.619 | O29.90 - O29.93 | O31.03X9 |
| O09.629 | O21.0 - O21.2 | O26.711 - O26.713 | O30.001 - O30.003 | O31.10X0 - O31.10X5 |
| O09.70 - O09.73 | O21.8 - O21.9 | O26.719 | O30.009 | O31.10X9 |
| O09.811 - O09.813 | O22.00 - O22.03 | O26.811 - O26.813 | O30.011 - O30.013 | O31.11X0 - O31.11X5 |
| O09.819 | O22.10 - O22.13 | O26.819 | O30.019 | O31.11X9 |
| O09.821 - O09.823 | O22.20 - O22.23 | O26.821 - O26.823 | O30.021 - O30.023 | O31.12X0 - O31.12X5 |
| O09.829 | O22.30 - O22.33 | O26.829 | O30.029 | O31.12X9 |
| O09.891 - O09.893 | O22.40 - O22.43 | O26.831 - O26.833 | O30.031 - O30.033 | O31.13X0 - O31.13X5 |
| O09.899 | O22.50 - O22.53 | O26.839 | O30.039 | O31.13X9 |
| O09.90 - O09.93 | O22.8X1 - O22.8X3 | O26.841 - O26.843 | O30.041 - O30.043 | O31.20X0 - O31.20X5 |
| O09.A0 - O09.A3 | O22.8X9 | O26.849 | O30.049 | O31.20X9 |
| O10.011 - O10.013 | O22.90 - O22.93 | O26.851 - O26.853 | O30.091 - O30.093 | O31.21X0 - O31.21X5 |
| O10.019 | O23.00 - O23.03 | O26.859 | O30.099 | O31.21X9 |
| O10.111 - O10.113 | O23.10 - O23.13 | O26.86 | O30.101 - O30.103 | O31.22X0 - O31.22X5 |
| O10.119 | O23.20 - O23.23 | O26.872 - O26.873 | O30.109 | O31.22X9 |
| O10.211 - O10.213 | O23.30 - O23.33 | O26.879 | O30.111 - O30.113 | O31.23X0 - O31.23X5 |
| O10.219 | O23.40 - O23.43 | O26.891 -O26.893 | O30.119 | O31.23X9 |
| O10.311 - O10.313 | O23.511 - O23.513 | O26.899 | O30.121 - O30.123 | O31.30X0 - O31.30X5 |
| O10.319 | O23.519 | O26.90 - O26.93 | O30.129 | O31.30X9 |
| O10.411 - O10.413 | O23.521 - O23.523 | O28.0 - O28.5 | O30.191 - O30.193 | O31.31X0 - O31.31X5 |
| O10.419 | O23.529 | O28.8 - O28.9 | O30.199 | O31.31X9 |
| O10.911 - O10.913 | O23.591 - O23.593 | O29.011 - O29.013 | O30.201 - O30.203 | O31.32X0 - O31.32X5 |
| O10.919 | O23.599 | O29.019 | O30.209 | O31.32X9 |
| O11.1 - O11.3 | O23.90 - O23.93 | O29.021 - O29.023 | O30.211 - O30.213 | O31.33X0 - O31.33X5 |
| O11.9 | O24.011 - O24.013 | O29.029 | O30.219 | O31.33X9 |
| O12.00 - O12.03 | O24.019 | O29.091 - O29.093 | O30.221 - O30.223 | O31.8X10 - O31.8X15 |
| O12.10 - O12.13 | O24.111 - O24.113 | O29.099 | O30.229 | O31.8X19 - O31.8X25 |
| O12.20 - O12.23 | O24.119 | O29.111 - O29.113 | O30.291 - O30.293 | O31.8X29 - O31.8X35 |
| O13.1 - O13.3 | O24.311 - O24.313 | O29.119 | O30.299 | O31.8X39 |
| O13.9 | O24.319 | O29.121 - O29.123 | O30.801 - O30.803 | O31.8X90 - O31.8X95 |
| O14.00 | O24.410 | O29.129 | O30.809 | O31.8X99 |

| Pregnancy ICD-10CM Diagnosis Codes (continued) | | | | |
|--|---------------------|---------------------|---------------------|---------------------|
| O32.0XX0 - O32.0XX5 | O34.70 - O34.73 | O36.1990 - O36.1995 | O36.8190 - O36.8195 | O41.1019 - O41.1025 |
| O32.0XX9 | O34.80 - O34.83 | O36.1999 | O36.8199 | O41.1029 - O41.1035 |
| O32.1XX0 - O32.1XX5 | O34.90 - O34.93 | O36.20X0 - O36.20X5 | O36.8210 - O36.8215 | O41.1039 |
| O32.1XX9 | O35.0XX0 - O35.0XX5 | O36.20X9 | O36.8219 - O36.8225 | O41.1090 - O41.1095 |
| O32.2XX0 - O32.2XX5 | O35.0XX9 | O36.21X0 - O36.21X5 | O36.8229 - O36.8235 | O41.1099 |
| O32.2XX9 | O35.1XX0 - O35.1XX5 | O36.21X9 | O36.8239 | O41.1210 - O41.1215 |
| O32.3XX0 - O32.3XX5 | O35.1XX9 | O36.22X0 - O36.22X5 | O36.8290 - O36.8295 | O41.1219 - O41.1225 |
| O32.3XX9 | O35.2XX0 - O35.2XX5 | O36.22X9 | O36.8299 | O41.1229 - O41.1235 |
| O32.4XX0 - O32.4XX5 | O35.2XX9 | O36.23X0 - O36.23X5 | O36.8310 - O36.8315 | O41.1239 |
| O32.4XX9 | O35.3XX0 - O35.3XX5 | O36.23X9 | O36.8319 - O36.8325 | O41.1290 - O41.1295 |
| O32.6XX0 - O32.6XX5 | O35.3XX9 | O36.4XX0 - O36.4XX5 | O36.8329 - O36.8335 | O41.1299 |
| O32.6XX9 | O35.4XX0 - O35.4XX5 | O36.4XX9 | O36.8339 | O41.1410 - O41.1415 |
| O32.8XX0 - O32.8XX5 | O35.4XX9 | O36.5110 - O36.5115 | O36.8390 - O36.8395 | O41.1419 - O41.1425 |
| O32.8XX9 | O35.5XX0 - O35.5XX5 | O36.5119 - O36.5125 | O36.8399 | O41.1429 - O41.1435 |
| O32.9XX0 - O32.9XX5 | O35.5XX9 | O36.5129 - O36.5135 | O36.8910 - O36.8915 | O41.1439 |
| O32.9XX9 | O35.6XX0 - O35.6XX5 | O36.5139 | O36.8919 - O36.8925 | O41.1490 - O41.1495 |
| O33.0 - O33.2 | O35.6XX9 | O36.5190 - O36.5195 | O36.8929 - O36.8935 | O41.1499 |
| O33.3XX0 - O33.3XX5 | O35.7XX0 - O35.7XX5 | O36.5199 | O36.8939 | O41.8X10 - O41.8X15 |
| O33.3XX9 | O35.7XX9 | O36.5910 - O36.5915 | O36.8990 - O36.8995 | O41.8X19 - O41.8X25 |
| O33.4XX0 - O33.4XX5 | O35.8XX0 - O35.8XX5 | O36.5919 - O36.5925 | O36.8999 | O41.8X29 - O41.8X35 |
| O33.4XX9 | O35.8XX9 | O36.5929 - O36.5935 | O36.90X0 - O36.90X5 | O41.8X39 |
| O33.5XX0 - O33.5XX5 | O35.9XX0 - O35.9XX5 | O36.5939 | O36.90X9 | O41.8X90 - O41.8X95 |
| O33.5XX9 | O35.9XX9 | O36.5990 - O36.5995 | O36.91X0 - O36.91X5 | O41.8X99 |
| O33.6XX0 - O33.6XX5 | O36.0110 - O36.0115 | O36.5999 | O36.91X9 | O41.90X0 - O41.90X5 |
| O33.6XX9 | O36.0119 - O36.0125 | O36.60X0 - O36.60X5 | O36.92X0 - O36.92X5 | O41.90X9 |
| O33.7 | O36.0129 - O36.0135 | O36.60X9 | O36.92X9 | O41.91X0 - O41.91X5 |
| O33.7XX0 - O33.7XX5 | O36.0139 | O36.61X0 - O36.61X5 | O36.93X0 - O36.93X5 | O41.91X9 |
| O33.7XX9 | O36.0190 - O36.0195 | O36.61X9 | O36.93X9 | O41.92X0 - O41.92X5 |
| O33.8 - O33.9 | O36.0199 | O36.62X0 - O36.62X5 | O40.1XX0 - O40.1XX5 | O41.92X9 |
| O34.00 - O34.03 | O36.0910 - O36.0915 | O36.62X9 | O40.1XX9 | O41.93X0 - O41.93X5 |
| O34.10 - O34.13 | O36.0919 - O36.0925 | O36.63X0 - O36.63X5 | O40.2XX0 - O40.2XX5 | O41.93X9 |
| O34.21 | O36.0929 - O36.0935 | O36.63X9 | O40.2XX9 | O42.00 |
| O34.211 - O34.212 | O36.0939 | O36.70X0 - O36.70X5 | O40.3XX0 - O40.3XX5 | O42.011 - O42.013 |
| O34.219 | O36.0990 - O36.0995 | O36.70X9 | O40.3XX9 | O42.019 |
| O34.29 - O34.33 | O36.0999 | O36.71X0 - O36.71X5 | O40.9XX0 - O40.9XX5 | O42.02 |
| O34.40 - O34.43 | O36.1110 - O36.1115 | O36.71X9 | O40.9XX9 | O42.10 |
| O34.511 - O34.513 | O36.1119 - O36.1125 | O36.72X0 - O36.72X5 | O41.00X0 - O41.00X5 | O42.111 - O42.113 |
| O34.519 | O36.1129 - O36.1135 | O36.72X9 | O41.00X9 | O42.119 |
| O34.521 - O34.523 | O36.1139 | O36.73X0 - O36.73X5 | O41.01X0 - O41.01X5 | O42.12 |
| O34.529 | O36.1190 - O36.1195 | O36.73X9 | O41.01X9 | O42.90 |
| O34.531 - O34.533 | O36.1199 | O36.80X0 - O36.80X5 | O41.02X0 - O41.02X5 | O42.911 - O42.913 |
| O34.539 | O36.1910 - O36.1915 | O36.80X9 | O41.02X9 | O42.919 |
| O34.591 - O34.593 | O36.1919 - O36.1925 | O36.8120 - O36.8125 | O41.03X0 - O41.03X5 | O42.92 |
| O34.599 | O36.1929 - O36.1935 | O36.8129 - O36.8135 | O41.03X9 | O43.011 - O43.013 |
| O34.60 - O34.63 | O36.1939 | O36.8139 | O41.1010 - O41.1015 | O43.019 |

| Pregnancy ICD-10CM Diagnosis Codes (continued) | | | | |
|--|-------------------|-------------------|-------------------|--|
| O43.021 - O43.023 | O46.099 | O98.011 - O98.013 | O9A.211 - O9A.213 | |
| O43.029 | O46.8X1 - O46.8X3 | O98.019 | O9A.219 | |
| O43.101 - O43.103 | O46.8X9 | O98.111 - O98.113 | O9A.311 - O9A.313 | |
| O43.109 | O46.90 - O46.93 | O98.119 | O9A.319 | |
| O43.111 - O43.113 | O47.00 | O98.211 - O98.213 | O9A.411 - O9A.413 | |
| O43.119 | O47.02- O47.03 | O98.219 | O9A.419 | |
| O43.121 - O43.123 | O47.1 | O98.311 - O98.313 | O9A.511 - O9A.513 | |
| O43.129 | O47.9 | O98.319 | O9A.519 | |
| O43.191- O43.193 | O48.0 - O48.1 | O98.411 - O98.413 | Z03.71 - Z03.75 | |
| O43.199 | O60.00 | O98.419 | Z03.79 | |
| O43.211 - O43.213 | O60.02 - O60.03 | O98.511 - O98.513 | Z34.00 - Z34.03 | |
| O43.219 | O71.00 | O98.519 | Z34.80 - Z34.83 | |
| O43.221 - O43.223 | O71.02 - O71.03 | O98.611 - O98.613 | Z34.90 - Z34.93 | |
| O43.229 | O71.1 - O71.7 | O98.619 | Z36 | |
| O43.231 - O43.233 | O71.81 - O71.82 | O98.711 - O98.713 | Z36.0 - Z36.5 | |
| O43.239 | O71.89 | O98.719 | Z36.81 - Z36.89 | |
| O43.811 - O43.813 | O71.9 | O98.811 - O98.813 | Z36.8A | |
| O43.819 | O88.011 - O88.013 | O98.819 | Z36.9 | |
| O43.891- O43.893 | O88.019 | O98.911 - O98.913 | | |
| O43.899 | O88.111 - O88.113 | O98.919 | | |
| O43.90 - O43.93 | O88.119 | O99.011 - O99.013 | | |
| O44.00 - O44.03 | O88.211 - O88.213 | O99.019 | | |
| O44.10 - O44.13 | O88.219 | O99.111 - O99.113 | | |
| O44.20 - O44.23 | O88.311 - O88.313 | O99.119 | | |
| O44.30- O44.33 | O88.319 | O99.210 - O99.213 | | |
| O44.40 - O44.43 | O88.811 - O88.813 | O99.280 - O99.283 | | |
| O44.50 - O44.53 | O88.819 | O99.310- O99.313 | | |
| O45.001 - O45.003 | O91.011 - O91.013 | O99.320 - O99.323 | | |
| O45.009 | O91.019 | O99.330 - O99.333 | | |
| O45.011 - O45.013 | O91.03 | O99.340 - O99.343 | | |
| O45.019 | O91.111 - O91.113 | O99.350 - O99.353 | | |
| O45.021 - O45.023 | O91.119 | O99.411- O99.413 | | |
| O45.029 | O91.13 | O99.419 | | |
| O45.091 - O45.093 | O91.211 - O91.213 | O99.511 - O99.513 | | |
| O45.099 | O91.219 | O99.519 | | |
| O45.8X1 - O45.8X3 | O91.23 | O99.611 - O99.613 | | |
| O45.8X9 | O92.011 - O92.013 | O99.619 | | |
| O45.90 - O45.93 | O92.019 | O99.711 - O99.713 | | |
| O46.001 - O46.003 | O92.03 | O99.719 | | |
| O46.009 | O92.111 - O92.113 | O99.810 | | |
| O46.011 - O46.013 | O92.119 | O99.820 | | |
| O46.019 | O92.13 | O99.830 | | |
| O46.021 - O46.023 | O92.3 - O92.6 | O99.840 - O99.843 | | |
| O46.029 | O92.70 | O9A.111 - O9A.113 | | |
| O46.091 - O46.093 | O92.79 | O9A.119 | | |

Prenatal

Aetna Better Health knows that the HEDIS rules surrounding prenatal visits are very complicated. Use the following codes to capture care for the Timeliness of Prenatal Care HEDIS measures.

The simplest method of capturing prenatal visits is through [standalone prenatal visit codes](#).

| Standalone Prenatal Visit Code | Code Class |
|--------------------------------|------------|
| 99500 | CPT |
| 0500F - 0502F | CPT-CAT-II |
| H1000 - H1004 | HCPCS |

Additionally, prenatal care may be captured by the combination of one of the following visit codes ACCOMPANIED BY a pregnancy related diagnosis:

| Prenatal Visit Code | Code Class |
|---------------------|------------|
| 99201 -99205 | CPT |
| 99211 - 99215 | CPT |
| 99241 - 99245 | CPT |
| 99483 | CPT |
| G0463 | HCPCS |
| T1015 | HCPCS |

*Prenatal care provided via telehealth, online assessment, or virtual check-in meet criteria Timeliness of prenatal care, if all other elements (i.e. within the first trimester of pregnancy or within 42 days of enrollment with the MCO) are satisfied. A pregnancy diagnosis code must be billed with the telehealth GT modifier.

Prenatal Immunization Status

It is important to immunize expectant mothers with the influenza and Tdap vaccines.

| Influenza Vaccine Codes | Code Class |
|--|------------|
| 90630; 90653 - 90654; 90656; 90658; 90661; 90673 - 90674; 90682; 90686; 90688 - 90689; 90756 | CPT |
| 88; 140; 141; 144; 150; 153; 155; 158; 166; 168; 171; 185; 186 | CVX |

| Tdap Vaccine Codes | Code Class |
|--------------------|------------|
| 90715 | CPT |
| 115 | CVX |

Depression Screening and Follow-Up

Screening for depression should occur for any patient during their prenatal period.

Follow up for any positive results should occur within 30 days of screening positive for depression (be sure to code for Depression or Other Behavioral Health Condition along with the follow up care code).

| Depression Case Management Encounter | Code Class |
|--------------------------------------|------------|
| T1016; T1017; T2022; T2023 | HCPCS |
| 99366 | CPT |

| Behavioral Health Encounter | Code Class |
|-----------------------------|------------|
| 90791-90792 | CPT |
| 90832-90834 | CPT |
| 90836-90839 | CPT |
| 90845-90849 | CPT |
| 90853 | CPT |
| 90865 | CPT |
| 90867-90870 | CPT |
| 90875-90876 | CPT |
| 90880 | CPT |
| 90887 | CPT |
| G0155 | HCPCS |
| G0176 - G0177 | HCPCS |
| G0409 - G0411 | HCPCS |
| G0502 - G0503 | HCPCS |
| G0507 | HCPCS |
| H0002 | HCPCS |
| H0004 | HCPCS |
| H0031 | HCPCS |
| H0034 - H0037 | HCPCS |
| H0039 - H0040 | HCPCS |
| H2000 - H2001 | HCPCS |
| H2010 - H2020 | HCPCS |
| M0064 | HCPCS |
| S0201 | HCPCS |
| S9480 | HCPCS |
| S9484 - S9485 | HCPCS |

| Depression or Other Behavioral Health Condition | Code Class |
|---|------------|
| F01.51 | ICD10CM |
| F20.0 - F20.3 | ICD10CM |
| F20.5 | ICD10CM |
| F20.81 | ICD10CM |
| F20.89 | ICD10CM |
| F20.9 - F20.9 | ICD10CM |
| F21 - F24 | ICD10CM |
| F25.0 - F25.1 | ICD10CM |
| F25.8 - F25.9 | ICD10CM |
| F28 - F29 | ICD10CM |
| F30.10 - F30.13 | ICD10CM |
| F30.2 - F30.4 | ICD10CM |
| F30.8 - F30.9 | ICD10CM |
| F31.0 | ICD10CM |
| F31.10 - F31.13 | ICD10CM |
| F31.2 | ICD10CM |
| F31.30 - F31.32 | ICD10CM |
| F31.4 - F31.5 | ICD10CM |
| F31.60 - F31.64 | ICD10CM |
| F31.70 - F31.78 | ICD10CM |
| F31.81 | ICD10CM |
| F31.89 | ICD10CM |
| F31.9 | ICD10CM |
| F32.0 - F32.5 | ICD10CM |
| F32.8 | ICD10CM |
| F32.81 | ICD10CM |
| F32.89 | ICD10CM |
| F32.9 | ICD10CM |
| F33.0 - F33.3 | ICD10CM |
| F33.40 - F33.42 | ICD10CM |
| F33.8 - F33.9 | ICD10CM |
| F34.0 - F34.1 | ICD10CM |
| F34.8 | ICD10CM |
| F34.81 | ICD10CM |
| F34.89 | ICD10CM |
| F34.9 | ICD10CM |
| F39 | ICD10CM |
| F42 | ICD10CM |
| F42.2 - F42.4 | ICD10CM |
| F42.8 | ICD10CM |
| F42.9 | ICD10CM |
| F43.0 | ICD10CM |
| F43.10 - F43.12 | ICD10CM |
| F43.20 - F43.25 | ICD10CM |

| Depression or Other Behavioral Health Condition (continued) | Code Class |
|---|------------|
| F43.29 | ICD10CM |
| F43.8 - F43.9 | ICD10CM |
| F44.89 | ICD10CM |
| F53 | ICD10CM |
| F60.0 - F60.7 | ICD10CM |
| F60.81 | ICD10CM |
| F60.89 | ICD10CM |
| F60.9 | ICD10CM |
| F63.0 - F63.3 | ICD10CM |
| F63.81 | ICD10CM |
| F63.89 | ICD10CM |
| F63.9 | ICD10CM |
| F68.10 - F68.13 | ICD10CM |
| F68.8 | ICD10CM |
| F84.0 | ICD10CM |
| F84.2 - F84.3 | ICD10CM |
| F84.5 | ICD10CM |
| F84.8 - F84.9 | ICD10CM |
| F90.0 - F90.2 | ICD10CM |
| F90.8 - F90.9 | ICD10CM |
| F91.0 - F91.3 | ICD10CM |
| F91.8 - F91.9 | ICD10CM |
| F93.0 | ICD10CM |
| F93.8 - F93.9 | ICD10CM |
| F94.0 - F94.2 | ICD10CM |
| F94.8 - F94.9 | ICD10CM |

| Follow Up Visit | Code Class |
|-----------------|------------|
| 98960 - 98962 | CPT |
| 98966 - 98968 | CPT |
| 99078 | CPT |
| 99201 - 99205 | CPT |
| 99211 - 99215 | CPT |
| 99217 - 99220 | CPT |
| 99241 - 99245 | CPT |
| 99341 - 99345 | CPT |
| 99347 - 99350 | CPT |
| 99381 - 99386 | CPT |
| 99387 | CPT |
| 99391 - 99397 | CPT |
| 99401 - 99404 | CPT |
| 99411 - 99412 | CPT |
| 99441 - 99443 | CPT |
| 99483 | CPT |

| Follow Up Visit (continued) | Code Class |
|-----------------------------|------------|
| G0463 | HCPCS |
| T1015 | HCPCS |
| 0510 | UBREV |
| 0513 | UBREV |
| 0516 - 0517 | UBREV |
| 0519 -0523 | UBREV |
| 0526 - 0529 | UBREV |
| 0982 - 0983 | UBREV |

Postpartum

Post-partum visit capture can either be a post-partum visit code OR a cervical cytology code. Either satisfies the HEDIS requirements per the NCQA as long as the visit occurs 7-84 days after delivery.

| Postpartum Visit Code | Code System |
|-----------------------|-------------|
| 57170 | CPT |
| 58300 | CPT |
| 59430 | CPT |
| 99501 | CPT |
| 0503F | CPT-CAT-II |
| G0101 | HCPCS |
| Z01.411 | ICD10CM |
| Z01.419 | ICD10CM |
| Z01.42 | ICD10CM |
| Z30.430 | ICD10CM |
| Z39.1 | ICD10CM |
| Z39.2 | ICD10CM |

| Cervical Cytology Code | Code System |
|------------------------|-------------|
| 88141 - 88143 | CPT |
| 88147 - 88148 | CPT |
| 88150 | CPT |
| 88152 - 88154 | CPT |
| 88164 - 88167 | CPT |
| 88174 - 88175 | CPT |
| G0123 - G0124 | HCPCS |
| G0141 | HCPCS |
| G0143 - G0145 | HCPCS |
| G0147 - G0148 | HCPCS |
| P3000 - P3001 | HCPCS |
| Q0091 | HCPCS |
| 10524-7 | LOINC |
| 18500-9 | LOINC |
| 19762-4 | LOINC |
| 19764-0 | LOINC |

| Cervical Cytology Code (continued) | Code System |
|------------------------------------|-------------|
| 19764-0 | LOINC |
| 19765-7 | LOINC |
| 19766-5 | LOINC |
| 19774-9 | LOINC |
| 33717-0 | LOINC |
| 47527-7 | LOINC |
| 47528-5 | LOINC |

Postpartum Depression Screening and Follow-Up

All new moms should receive a depression screening at their postpartum visit. Any positive screens should result in a subsequent screening within 30 days.

*The same codes used to capture care for Prenatal Depression Screening and Follow-Up measure can be used for the Postpartum Depression Screening and Follow-Up measure.

CCS

The Cervical Cancer Screening HEDIS measure captures the percentage of women 21–64 years of age who were screened for cervical cancer using one of the following criteria:

- Women age 21–64 who had cervical cytology performed every 3 years.
- Women 30–64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.
- Women age 30–64 who had cervical cytology/ high-risk human papillomavirus (hrHPV) co-testing performed every 5 years.

*Please note - to be considered co-testing, cervical cytology and HPV testing codes must be on the same claim/DOS.

| Cervical Cytology Code | Code System |
|------------------------|-------------|
| 88141 - 88143 | CPT |
| 88147 - 88148 | CPT |
| 88150 | CPT |
| 88152 - 88154 | CPT |
| 88164 - 88167 | CPT |
| 88174 - 88175 | CPT |
| G0123 - G0124 | HCPCS |
| G0141 | HCPCS |
| G0143 - G0145 | HCPCS |
| G0147 - G0148 | HCPCS |
| P3000 - P3001 | HCPCS |
| Q0091 | HCPCS |
| 10524-7 | LOINC |
| 18500-9 | LOINC |
| 19762-4 | LOINC |
| 19764-0 | LOINC |
| 19765-7 | LOINC |
| 19766-5 | LOINC |
| 19774-9 | LOINC |
| 33717-0 | LOINC |
| 47527-7 | LOINC |
| 47528-5 | LOINC |

| High Risk HPV Lab Test | Code Class |
|------------------------|------------|
| 87620 - 87622 | CPT |
| 87624 - 87625 | CPT |
| G0476 | HCPCS |
| 21440-3 | LOINC |
| 30167-1 | LOINC |
| 38372-9 | LOINC |
| 59263-4 | LOINC |
| 59264-2 | LOINC |
| 59420-0 | LOINC |
| 69002-4 | LOINC |
| 71431-1 | LOINC |
| 75694-0 | LOINC |
| 77379-6 | LOINC |
| 77399-4 | LOINC |
| 77400-0 | LOINC |
| 82354-2 | LOINC |
| 82456-5 | LOINC |
| 82675-0 | LOINC |

CHL

The CHL measure captures the percentage of women 16–24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year.

| Chlamydia Tests Codes | Code Class |
|-----------------------|------------|
| 87110 | CPT |
| 87270 | CPT |
| 87320 | CPT |
| 87490 - 87492 | CPT |
| 87810 | CPT |
| 14463-4 | LOINC |
| 14464-2 | LOINC |
| 14467-5 | LOINC |
| 14474-1 | LOINC |
| 14513-6 | LOINC |
| 16600-9 | LOINC |
| 21190-4 | LOINC |
| 21191-2 | LOINC |
| 21613-5 | LOINC |
| 23838-6 | LOINC |
| 31775-0 | LOINC |
| 31777-6 | LOINC |
| 36902-5 | LOINC |
| 36903-3 | LOINC |
| 42931-6 | LOINC |
| 43304-5 | LOINC |
| 43404-3 | LOINC |
| 43405-0 | LOINC |
| 43406-8 | LOINC |
| 44806-8 | LOINC |
| 44807-6 | LOINC |
| 45068-4 | LOINC |
| 45069-2 | LOINC |
| 45075-9 | LOINC |
| 45076-7 | LOINC |
| 45084-1 | LOINC |
| 45091-6 | LOINC |
| 45095-7 | LOINC |
| 45098-1 | LOINC |
| 45100-5 | LOINC |
| 47211-8 | LOINC |
| 47212-6 | LOINC |
| 49096-1 | LOINC |

| Chlamydia Tests Codes (continued) | Code Class |
|--------------------------------------|------------|
| 4993-2 | LOINC |
| 50387-0 | LOINC |
| 53925-4 | LOINC |
| 53926-2 | LOINC |
| 557-9 | LOINC |
| 560-3 | LOINC |
| 6349-5 | LOINC |
| 6354-5 | LOINC |
| 6355-2 | LOINC |
| 6356-0 | LOINC |
| 6357-8 | LOINC |
| 80360-1 | LOINC |
| 80361-9 | LOINC |
| 80362-7 | LOINC |

BCS

The Breast Cancer Screening HEDIS measure captures the percentage of women 50–74 years of age who had a mammogram to screen for breast cancer between October 1 two years prior to the measurement year and December 31 of the measurement year.

| Value Set Name | Code | Code System |
|----------------|---------------|-------------|
| Mammography | 77055 - 77057 | CPT |
| Mammography | 77061 - 77063 | CPT |
| Mammography | 77065 - 77067 | CPT |
| Mammography | G0202 | HCPCS |
| Mammography | G0204 | HCPCS |
| Mammography | G0206 | HCPCS |
| Mammography | 24604-1 | LOINC |
| Mammography | 24605-8 | LOINC |
| Mammography | 24606-6 | LOINC |
| Mammography | 24610-8 | LOINC |
| Mammography | 26175-0 | LOINC |
| Mammography | 26176-8 | LOINC |
| Mammography | 26177-6 | LOINC |
| Mammography | 26287-3 | LOINC |
| Mammography | 26289-9 | LOINC |
| Mammography | 26291-5 | LOINC |
| Mammography | 26346-7 | LOINC |
| Mammography | 26347-5 | LOINC |
| Mammography | 26348-3 | LOINC |
| Mammography | 26349-1 | LOINC |
| Mammography | 26350-9 | LOINC |
| Mammography | 26351-7 | LOINC |
| Mammography | 36319-2 | LOINC |

| Value Set Name (continued) | Code | Code System | |
|-------------------------------|---------|-------------|---------|
| Mammography | 36625-2 | LOINC | |
| Mammography | 36626-0 | LOINC | |
| Mammography | 36627-8 | LOINC | |
| Mammography | 36642-7 | LOINC | |
| Mammography | 36962-9 | LOINC | |
| Mammography | 37005-6 | LOINC | |
| Mammography | 37006-4 | LOINC | |
| Mammography | 37016-3 | LOINC | 19774-9 |
| Mammography | 37017-1 | LOINC | 33717-0 |
| Mammography | 37028-8 | LOINC | 47527-7 |
| Mammography | 37029-6 | LOINC | 47528-5 |
| Mammography | 37030-4 | LOINC | 923 |
| Mammography | 37037-9 | LOINC | |
| Mammography | 37038-7 | LOINC | |
| Mammography | 37052-8 | LOINC | |
| Mammography | 37053-6 | LOINC | |
| Mammography | 37539-4 | LOINC | |
| Mammography | 37542-8 | LOINC | |
| Mammography | 37543-6 | LOINC | |
| Mammography | 37551-9 | LOINC | |
| Mammography | 37552-7 | LOINC | |
| Mammography | 37553-5 | LOINC | |
| Mammography | 37554-3 | LOINC | |
| Mammography | 37768-9 | LOINC | |
| Mammography | 37769-7 | LOINC | |
| Mammography | 37770-5 | LOINC | |
| Mammography | 37771-3 | LOINC | |
| Mammography | 37772-1 | LOINC | |
| Mammography | 37773-9 | LOINC | |
| Mammography | 37774-7 | LOINC | |
| Mammography | 37775-4 | LOINC | |
| Mammography | 38070-9 | LOINC | |
| Mammography | 38071-7 | LOINC | |
| Mammography | 38072-5 | LOINC | |
| Mammography | 38090-7 | LOINC | |
| Mammography | 38091-5 | LOINC | |
| Mammography | 38807-4 | LOINC | |
| Mammography | 38820-7 | LOINC | |
| Mammography | 38854-6 | LOINC | |
| Mammography | 38855-3 | LOINC | |
| Mammography | 42415-0 | LOINC | |
| Mammography | 42416-8 | LOINC | |
| Mammography | 46335-6 | LOINC | |
| Mammography | 46336-4 | LOINC | |

| | | |
|-------------|---------|-------|
| Mammography | 46337-2 | LOINC |
| Mammography | 46338-0 | LOINC |
| Mammography | 46339-8 | LOINC |
| Mammography | 46350-5 | LOINC |
| Mammography | 46351-3 | LOINC |
| Mammography | 46356-2 | LOINC |
| Mammography | 46380-2 | LOINC |
| Mammography | 48475-8 | LOINC |
| Mammography | 48492-3 | LOINC |
| Mammography | 69150-1 | LOINC |
| Mammography | 69251-7 | LOINC |
| Mammography | 69259-0 | LOINC |

CCP

The Contraceptive Care for Postpartum Women Ages 15-44 Performance Measure captures Women ages 15 through 44 who had a live birth and were provided a most effective/ moderately effective contraception method or a long-acting reversible method of contraception (LARC), within 3 days and within 60 days of delivery.

| Insertion of IUD Code | Code Class |
|-----------------------|------------|
| 58300 | CPT |

| Encounter for initial prescription of IUD | Code Class |
|---|------------|
| Z30.014 | ICD-10 |

| Insertion of Contraceptive Device | Code Class |
|-----------------------------------|------------|
| Z30.430 | ICD-10 |
| Z30.433 | ICD-10 |
| 0UH97HZ | ICD-10 |
| 0UH98HZ | ICD-10 |
| 0UHC7HZ | ICD-10 |
| 0UHC8HZ | ICD-10 |

CCW

The Contraceptive Care for All Women Ages 15-44 Performance Measure captures women ages 15 through 44 at risk of unintended pregnancy and those who were provided a most effective/moderately effective contraception method or a long acting reversible method of contraception (LARC).

| Insertion of IUD Code | Code Class |
|-----------------------|------------|
| 58300 | CPT |

| Encounter for initial prescription of IUD | Code Class |
|---|------------|
| Z30.014 | ICD-10 |

| Insertion of Contraceptive Device | Code Class |
|-----------------------------------|------------|
| Z30.430 | ICD-10 |
| Z30.433 | ICD-10 |
| 0UH97HZ | ICD-10 |
| 0UH98HZ | ICD-10 |
| 0UHC7HZ | ICD-10 |
| 0UHC8HZ | ICD-10 |

