



# MEDICARE FORM

## Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)  
FAX: 1-833-280-5224  
PHONE: 1-855-463-0933

For other lines of business:  
Please use other form.

**Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G below.**

**Please indicate:**  Start of treatment: Start date \_\_\_\_/\_\_\_\_/\_\_\_\_  
 Continuation of therapy: Date of last treatment \_\_\_\_/\_\_\_\_/\_\_\_\_

**Precertification Requested By:** \_\_\_\_\_ **Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_

| A. PATIENT INFORMATION  |             |   |                     |
|---|-------------|---|---------------------|
| First Name:   |             | Last Name:  |                     |
| Address:  |             | City:   | State: ZIP:         |
| Home Phone:   | Work Phone: | Cell Phone:   |                     |
| DOB:  | Allergies:  | E-mail:   |                     |
| Current Weight: _____ lbs or _____ kgs  |             | Height: _____ inches or _____ cms   |                     |
| B. INSURANCE INFORMATION  |             |   |                     |
| Aetna Member ID #:  |             | Does patient have other coverage? <input type="checkbox"/> Yes <input type="checkbox"/> No  |                     |
| Group #:  |             | If yes, provide ID#: _____ Carrier Name: _____  |                     |
| Insured:  |             | Insured: _____  |                     |
| C. PRESCRIBER INFORMATION   |             |   |                     |
| First Name:   |             | Last Name: (Check One): <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> N.P. <input type="checkbox"/> P.A. |                     |
| Address:  |             | City:   | State: ZIP:         |
| Phone:  | Fax:        | St Lic #:   | NPI #: DEA #: UPIN: |
| Provider Email:   |             | Office Contact Name: Phone:   |                     |
| D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION   |             |   |                     |
| <b>Place of Administration:</b>   |             | <b>Dispensing Provider/Pharmacy:</b>  |                     |
| <input type="checkbox"/> Self-administered <input type="checkbox"/> Physician's Office  |             | <input type="checkbox"/> Physician's Office <input type="checkbox"/> Retail Pharmacy  |                     |
| <input type="checkbox"/> Outpatient Infusion Center Phone: _____  |             | <input type="checkbox"/> Specialty Pharmacy <input type="checkbox"/> Other _____  |                     |
| Center Name: _____  |             | Name: _____   |                     |
| <input type="checkbox"/> Home Infusion Center Phone: _____  |             | Address: _____  |                     |
| Agency Name: _____  |             | City: _____ State: _____ ZIP: _____   |                     |
| <input type="checkbox"/> Administration code(s) (CPT): _____  |             | Phone: _____ Fax: _____   |                     |
| Address: _____  |             | TIN: _____ PIN: _____   |                     |
| City: _____ State: _____ ZIP: _____   |             | NPI: _____  |                     |
| Phone: _____ Fax: _____   |             |   |                     |
| TIN: _____ PIN: _____   |             |   |                     |
| NPI: _____  |             |   |                     |
| E. PRODUCT INFORMATION  |             |   |                     |
| Request is for: Renflexis (infliximab-abda): Dose: _____ Frequency: _____ HCPCS Code: _____   |             |   |                     |
| F. DIAGNOSIS INFORMATION – Please indicate primary ICD Code and specify any other where applicable.   |             |   |                     |
| Primary ICD Code: _____ Secondary ICD Code: _____ Other ICD Code: _____   |             |   |                     |
| G. CLINICAL INFORMATION – Required clinical information must be completed in its entirety for all precertification requests.  |             |   |                     |
| <b>For Initiation Requests (clinical documentation required for all requests):</b>  |             |   |                     |
| <b>Note: Renflexis is non-preferred for select indications on MAPD plans. Enbrel, Humira, Kevzara, Otezla, Rinvoq, Skyrizi, and Xeljanz/Xeljanz XR are the preferred products. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans.</b> |             |   |                     |
| <input type="checkbox"/> Yes <input type="checkbox"/> No Has the patient had prior therapy with Renflexis (infliximab-abda) within the last 365 days?   |             |   |                     |
| <input type="checkbox"/> Yes <input type="checkbox"/> No Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply)   |             |   |                     |
| <input type="checkbox"/> Enbrel (etanercept) <input type="checkbox"/> Humira (adalimumab) <input type="checkbox"/> Kevzara (sarilumab) <input type="checkbox"/> Otezla (apremilast) <input type="checkbox"/> Rinvoq (upadacitinib)  |             |   |                     |
| <input type="checkbox"/> Skyrizi (risankizumab-rzaa) <input type="checkbox"/> Xeljanz/Xeljanz XR (tofacitinib)  |             |   |                     |
| Please explain if there are any other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis (select all that apply).   |             |   |                     |
| <input type="checkbox"/> Enbrel (etanercept) <input type="checkbox"/> Humira (adalimumab) <input type="checkbox"/> Kevzara (sarilumab) <input type="checkbox"/> Otezla (apremilast) <input type="checkbox"/> Rinvoq (upadacitinib)  |             |   |                     |
| <input type="checkbox"/> Skyrizi (risankizumab-rzaa) <input type="checkbox"/> Xeljanz/Xeljanz XR (tofacitinib)  |             |   |                     |

Continued on next page



MEDICARE FORM

Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP) FAX: 1-833-280-5224 PHONE: 1-855-463-0933

For other lines of business: Please use other form.

Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Will Renflexis (infliximab-abda) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs... Has the patient been tested for TB with a PPD test, interferon-release assay (IGRAs) or chest x-ray within 6 months of initiation a biologic therapy? (check all that apply): PPD test, interferon-gamma assay (IGRA), chest x-ray. Please enter results of the TB test: positive, negative, unknown. If positive, Does the patient have latent or active TB? latent, active. If latent TB, Will TB treatment be started before initiation of therapy with Renflexis (infliximab-abda)?

Ankylosing Spondylitis and Other Spondyloarthropathies Please select which of the following applies to the patient: Ankylosing spondylitis, Other spondyloarthropathy. Is there evidence that the disease is active? Is there evidence of inflammatory disease? Has the patient had an ineffective response to two or more non-steroidal anti-inflammatory drugs (NSAIDs)? Please provide the names and length of treatment: NSAID #1, NSAID #2.

Behcet's Disease Is the disease refractory to corticosteroids or immunosuppressive drugs? Please indicate: corticosteroids, immunosuppressive drugs. Please provide the name of drug tried:

Behcet's Uveitis Is the disease refractory?

Chronic Cutaneous/Pulmonary Sarcoidosis Has the patient remained symptomatic despite treatment with steroids? Please indicate the daily dose of steroids: mg. Has the patient remained symptomatic despite treatment with immunosuppressants? Please select: azathioprine, cyclophosphamide, methotrexate, Other, please explain:

Crohn's Disease Does the patient have a diagnosis of fistulizing Crohn's disease? Please indicate how long the patient has been diagnosed with fistulizing Crohn's disease: Does the patient have a diagnosis of Crohn's disease? Please indicate the severity of the patient's disease: mild, moderate, severe. Does the patient have a documented diagnosis of active Crohn's disease? Please select all signs/symptoms that apply: abdominal pain, arthritis, bleeding, diarrhea, internal fistulae, intestinal obstruction, megacolon, perianal disease, spondylitis, weight loss, none of the above. Have the Crohn's disease symptoms remained active despite treatment with 6-mercaptopurine, azathioprine, or corticosteroids? Please check all medications that apply: 6-mercaptopurine, azathioprine, corticosteroids- please identify: prednisone, hydrocortisone, methylprednisolone, Other:

Hidradenitis Suppurativa Please indicate the stage of hidradenitis suppurativa: Hurley stage I (mild disease), Hurley stage II (moderate disease), Hurley stage III (severe disease), Unknown. Has the patient completed a trial of antibiotics? Does the patient have a contraindication to oral antibiotics? Was the treatment with antibiotics ineffective?

Immune Checkpoint Inhibitor- Induced Toxicities Please indicate therapy used: CTLA-4: Please select drug: ipilimumab, Other: PD-1: Please select drug: nivolumab, pembrolizumab, Other: PD-L1: Please select drug: atezolizumab, avelumab, durvalumab, Other: Other, please explain: Do the immune checkpoint inhibitor-induced toxicities persist despite discontinuation of immune checkpoint inhibitors that target CTLA-4 or PD-1/PD-L1 (e.g., atezolizumab, ipilimumab, nivolumab, pembrolizumab)?

Continued on next page



MEDICARE FORM

Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)
FAX: 1-833-280-5224
PHONE: 1-855-463-0933

For other lines of business:
Please use other form.

Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Please indicate the toxicity (check all that apply):

Cardiac: Which life-threatening immune checkpoint inhibitor-induced cardiac toxicities does the patient have?
Colitis: Please indicate the severity of the immune checkpoint inhibitor-induced colitis:
Elevated serum creatinine/acute renal failure: Please indicate the severity of the disease:
Inflammatory arthritis: Does the patient have refractory or severe disease?
Pneumonitis: Please indicate the severity of the disease:

Juvenile Idiopathic Arthritis (Juvenile Rheumatoid Arthritis)

Please indicate the severity of the patient's disease:
Is there evidence that the disease is active?
Does the patient have clinical documentation of polyarticular juvenile idiopathic arthritis (JRA)?

Noninfectious Uveitis

Was the treatment with corticosteroids ineffective?
Was the treatment with immunosuppressive drugs (e.g., azathioprine, cyclosporine, or methotrexate) ineffective?
Does the patient have a documented intolerance to corticosteroids or immunosuppressive drugs?
Does the patient have a documented contraindication to corticosteroids or immunosuppressive drugs?

Plaque Psoriasis

Please indicate the severity of the patient's disease:
Is there evidence that the disease is active?
Is there clinical documentation of chronic disease?
Is the patient a candidate for systemic therapy or phototherapy?
Please provide the patient's Psoriasis Area and Severity Index (PASI) score:
Please indicate the percentage of body surface area affected by plaque psoriasis:
Does the plaque psoriasis involve sensitive areas?
Was the trial with systemic conventional DMARD(s) ineffective?
Was the trial with systemic conventional DMARD(s) not tolerated?
Are systemic conventional DMARDs contraindicated?

Continued on next page



MEDICARE FORM

Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 4 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)
FAX: 1-833-280-5224
PHONE: 1-855-463-0933

For other lines of business:
Please use other form.

Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Was the trial with phototherapy ineffective?
Was the trial with phototherapy not tolerated?
Is phototherapy contraindicated?
Please check all that apply: Psoralens (methoxsalen, trioxsalen) with UVA light (PUVA)
UVB with coal tar or dithranol
UVB (standard or narrow-band)
Home UVB
None of the above
Please indicate the length of trial: Less than 1 month 1 month 2 months 3 months or greater

Psoriatic Arthritis

Is there evidence that the disease is active?
Does the patient have axial psoriatic arthritis?
Was the treatment with 2 or more non-steroidal anti-inflammatory drugs (NSAIDs) ineffective?
Please provide the names and length of treatment: NSAID #1: NSAID #2:
Does the patient have non-axial psoriatic arthritis?
Does the patient have severe disease at presentation, defined as severe disability at onset with erosive disease involving multiple joints?
Was the treatment with methotrexate ineffective?
Was treatment with methotrexate not tolerated or contraindicated?
Please select: not tolerated contraindicated
Was treatment with another conventional DMARD ineffective?
Please select: cyclophosphamide cyclosporine hydroxychloroquine leflunomide sulfasalazine Other, please explain:

Pyoderma Gangrenosum

Does the patient have a documented diagnosis of refractory pyoderma gangrenosum?

Reactive Arthritis (Reiter's syndrome) or Inflammatory Bowel Disease Arthritis (Enteropathic Arthritis)

Please select which applies to the patient: reactive arthritis (Reiter's syndrome) inflammatory bowel disease arthritis (enteropathic arthritis)
Was the treatment with methotrexate ineffective?
Was the treatment with methotrexate not tolerated?
Does the patient have a contraindication to methotrexate?
Was the treatment with sulfasalazine ineffective?
Was the treatment with sulfasalazine not tolerated?
Does the patient have a contraindication to sulfasalazine?

Was the treatment with non-steroidal anti-inflammatory drugs (NSAIDs) ineffective?
Was the treatment with non-steroidal anti-inflammatory drugs (NSAIDs) not tolerated?
Does the patient have a contraindication to non-steroidal anti-inflammatory drugs (NSAIDs)?
Please provide the name:

Retinal Vasculitis

Was treatment with a conventional DMARD ineffective?
Was treatment with a conventional DMARD not tolerated or contraindicated? not tolerated contraindicated

Rheumatoid Arthritis

Please indicate the severity of the patient's rheumatoid arthritis: mild moderate severe
Is there evidence that the disease is active?
Will the patient be using Renflexis (infliximab-abda) in combination with methotrexate?
Was treatment with methotrexate ineffective?
Was treatment with methotrexate not tolerated or contraindicated? not tolerated contraindicated
Was treatment with another conventional DMARD (other than methotrexate) ineffective?
Please select: azathioprine hydroxychloroquine leflunomide sulfasalazine

Continued on next page



# MEDICARE FORM

## Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)  
FAX: 1-833-280-5224  
PHONE: 1-855-463-0933

For other lines of business:  
Please use other form.

**Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G.**

|                    |                   |               |             |
|--------------------|-------------------|---------------|-------------|
| Patient First Name | Patient Last Name | Patient Phone | Patient DOB |
|--------------------|-------------------|---------------|-------------|

**G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.**

**Sarcoidosis**

Yes  No Is the disease refractory to corticosteroids?

**Ulcerative Colitis**

Yes  No Is the patient hospitalized with active fulminant ulcerative colitis?

Please indicate the severity of the patient's ulcerative colitis:  mild  moderate  severe

Yes  No Is there evidence that the disease is active?

Yes  No Is the patient refractory to immunosuppression with corticosteroids (e.g., hydrocortisone, methylprednisolone, prednisone)?

Yes  No Does the patient require continuous immunosuppression with corticosteroids (e.g., hydrocortisone, methylprednisolone, prednisone)?

Name and dose: Name: \_\_\_\_\_ Dose: \_\_\_\_\_

Please indicate the route:  Oral  IV

Name and dose: Name: \_\_\_\_\_ Dose: \_\_\_\_\_

Please indicate the route:  Oral  IV

Yes  No Was treatment with immunosuppressant agent (e.g., azathioprine, 6-mercaptopurine) ineffective?

Yes  No Was treatment with immunosuppressant agent (e.g., azathioprine, 6-mercaptopurine) not tolerated or contraindicated?

Please select:  not tolerated  contraindicated

Please select:  6-mercaptopurine  azathioprine  cyclosporine

Yes  No Was treatment with 5-aminosalicylic acid agents (e.g., balsalazide, mesalamine, sulfasalazine) ineffective?

Yes  No Was treatment with 5-aminosalicylic acid agents (e.g., balsalazide, mesalamine, sulfasalazine) not tolerated or contraindicated?

Please select:  not tolerated  contraindicated

Please select:  Colazal (balsalazide)  Ariso, Asacal, Delzicol, Lialda, Pentasa, Rowasa, Canasa (mesalamine)  Azulfidine (sulfasalazine)  Other, please explain: \_\_\_\_\_

Please select the symptoms the patient exhibit:  more than 10 stools per day  continuous bleeding  abdominal pain  distension  acute, severe toxic symptoms, including fever and anorexia

**For Continuation of Therapy (clinical documentation required for all requests):**

Please indicate the length of time on Renflexis (infliximab-abda): \_\_\_\_\_

Yes  No Is this continuation request a result of the patient receiving samples of Renflexis (infliximab-abda)?

Yes  No Will Renflexis (infliximab-abda) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumab, certolizumab)?

Yes  No Is there clinical documentation supporting disease stability?

Yes  No Is there clinical documentation supporting disease improvement?

Yes  No Does the patient have any risk factors for TB?

Yes  No Has the patient had a TB test within the past year?

(check all that apply):  PPD test  interferon-gamma assay (IGRA)  chest x-ray

Please enter the results of the TB test:  positive  negative  unknown

Yes  No Has the patient received Renflexis (infliximab-abda) within the past 6 months?

Yes  No Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following the previous infusion?

Yes  No Could the adverse reaction be managed through pre-medication in the home or office setting?

**For Crohn's disease, Juvenile idiopathic arthritis, Plaque psoriasis, and Rheumatoid arthritis, Ulcerative colitis only:**

Please indicate the severity of the disease at baseline (pretreatment with Renflexis (infliximab-abda)):  mild  moderate  severe

**H. ACKNOWLEDGEMENT**

Request Completed By (Signature Required): \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.